

Accounting Information Systems, 6th ed.,
by James A. Hall
South-Western College Pub.

A

- ABC (activity-based costing), 356–58. *See also* cost accounting system
- access
 - authority, 769
 - equity of, 116
 - method, 86, 438
 - privileges, 762
 - tests, 816
 - time, 83, 92
 - token, 761
 - unauthorized, 766
- access control, 144–45
 - database management and, 767–70
 - electronic commerce and, 595–96
 - electronic data interchange (EDI) and, 783
 - enterprise resource planning (ERP) and, 550–51
 - expenditure cycle and, 248, 263
 - financial reporting system (FRS) and, 393
 - list, 761
 - in manufacturing environment, 346–47
 - payroll system and, 296
 - revenue cycle and, 180, 202, 204
 - segregation of duties and, 730
 - testing of, 785
- accountability, 118–19, 766
- accountants
 - data normalization and, 454
 - distributed databases and, 470
 - documentation, 687
 - fraud and, 119–34
 - role in managing SDLC, 651–52, 690–91
 - roles of in information systems, 34–36
- accounting
 - electronic commerce and, 592–96
 - function, 20–21
 - independence, 21
 - lean manufacturing and, 355–60
 - oversight board, 127
- accounting information systems (AIS). *See also* accounting systems
 - definition, 8
 - difference from MIS, 6
 - general model, 10–15, 131
 - subsystems, 8–10
- accounting records, 47–54
 - in computer-based systems, 55–57, 202–3
 - controls and, 144, 204
 - enterprise resource planning (ERP) and, 550
 - expenditure cycle and, 247–48, 263
 - financial reporting system (FRS) and, 393
 - in manual systems, 47–54
 - in manufacturing environment, 347
 - payroll system and, 296
 - revenue cycle and, 179–80
 - subsidiary ledger, 176
- accounting systems
 - computer-based, 55–57, 73–82, 188–203, 252–63, 299–302, 306–8
 - manual, 47–54, 181–88, 249–51, 298–99
- accounts payable (AP). *See also* expenditure cycle; purchases system
 - in cash disbursements system, 252, 259
 - closed file, 258
 - general ledger and, 243
 - independent verification and, 248
 - open file, 241, 251
 - pending file, 238
 - subsidiary ledger, 240, 241
- accounts receivable (AR). *See also* cash receipts; revenue cycle
 - department, 195, 197
 - subsidiary ledger, 169–70, 179
 - updating, 173, 176, 184, 185, 207, 208
- accuracy, 14, 133–34, 404, 673, 815
- accuracy tests, 816
- ACFE (Association of Certified Fraud Examiners), 122, 125, 128, 129
- acquisition procedures, 306–7
- action plan, 632–35
- activity-based costing (ABC), 356–58. *See also* cost accounting system
- activity driver, 357
- actual cost inventory ledger, 240
- Adelphia Communications, 126
- ad hoc reports, 405
- advanced encryption standard (AES), 588, 774–75
- agents, 498, 499, 505–6
- agents, economic, 31–33
- AICPA (American Institute of Certified Public Accountants), 744, 745
- AICPA/CICA SysTrust, 571, 592
- AICPA/CICA WebTrust, 592
- air conditioning, 735
- airline industry, 547
- AIS. *See* accounting information systems (AIS)
- algorithm, 588
- alphabetic coding schemes, 383–86
- alphanumeric codes, 385–86
- American Competitiveness and Corporate Accountability Act of 2002. *See* Sarbanes-Oxley Act (SOX)
- American Institute of Certified Public Accountants (AICPA), 744, 745
- America Online, 567
- analysis
 - cost-benefit, 643–50

- systems, 635–39
- analytical review, 551
- anomalies, 447–50
- antiviral software, 765
- AOL, 564
- Apple Computer, 548
- application controls, 142, 726. *See also* controls
 - input controls, 806–12
 - IT controls and, 806–14
 - output, 812–14
 - testing, 815–24
- application-level firewall, 590, 772
- applications
 - critical, 739, 742
 - errors, 805–6
- approved credit memo, 172
- approved sales order, 166
- architecture description, 628–29
- archive file, 57
- Arthur Andersen, 126
- artificial intelligence, 117, 197
- AS/RS (automated storage and retrieval systems), 352
- assets. *See also* fixed asset system
 - access to, 346–47
 - acquisition of, 303
 - custody of, 178
 - disposal of, 306, 308
 - inspection of, 247
 - maintenance, 303–6, 308
 - misappropriation, 129–34
 - record keeping, 178
 - status report, 309
 - theft of, 247
- association, 444–46, 506–9, 513–14, 516
- Association of Certified Fraud Examiners (ACFE). *See* ACFE (Association of Certified Fraud Examiners)
- assurance
 - seals of, 591–92
 - services, 36, 743–49
- attendance file, 302
- attest function, 36
- attest services, 743–49
- attributes, 444, 458, 460, 513–15, 667
- auditing
 - access controls, 769–70
 - application errors, 805–6
 - backup controls, 771
 - black box approach, 815
 - computer center security and, 736
 - continuous, 594
 - data warehouse, 551–52
 - definition, 36
 - destructive programs and, 765
 - disaster recovery planning and, 741–42
 - electronic data interchange (EDI) and, 784–85
 - elements of, 746–47
 - enterprise resource planning (ERP) and, 549–52
 - equipment failure and, 781
 - external, 36, 744–46
 - insurance coverage and, 737
 - IT audit, 36, 746–49
 - objectives, 799–800
 - operator documentation and, 737
 - organizational structure and, 734
 - participation, 798
 - passwords and, 764
 - physical security controls, 736
 - planning, 748–49
 - procedures, 815
 - program changes, 804–5
 - risk and, 749–50, 822
 - Sections 302 and 404, 726–28
 - software, 823–24, 826–29
 - standards, 745
 - subversive threats and, 779–80
 - system maintenance objectives, 804
 - tools, 780
 - white box approach, 816–18
 - XBRL, implications of, 594
- audit log, 766–67
- auditor, 36, 54
- auditor independence, 126, 127–28
- audit trail, 54, 144
 - controls and, 762, 765–67, 811
 - controls testing, 785
 - definition, 393
 - digital, 57
 - electronic, 594–95
 - electronic data interchange (EDI) and, 783–85
 - expenditure cycle and, 246, 247, 258
 - financial reporting system (FRS) and, 392
 - general ledger system (GLS) and, 389
 - implementation, 766–67
 - management reports and, 803–4
 - objectives, 766
 - payroll system and, 296, 306
 - procedures, 767
 - revenue cycle and, 179–80, 182
 - tests, 816
- authentication, 588, 590, 595
- authenticity tests, 816
- authority, 397
- authority tables, 768, 769, 806
- authorization, 201
- authorization control, 165, 308–9, 785, 798
- automated storage and retrieval systems (AS/RS), 352
- automation
 - cash disbursement system, 258–59
 - cash receipts system, 195–97
 - definition, 188
 - expenditure cycle, 252–63, 299–302
 - fixed assets system, 306–8

- of manufacturing environment, 350–54
- payroll systems and, 299–302
- purchase system, 253–58
- revenue cycle, 188–204
- sales order processing, 188–93

automation continuum, 352

B

Baan, 34, 536

backbone systems, 15, 692

back door, 764, 786–87

back-order, 166

back-order file, 180

backup, 202

- controls, 767, 770–71
- database, 77–78, 770
- database conversion and, 687–88
- direct access, 98, 787–88, 789
- internally provided, 739
- procedures, 740
- second-site, 738–39, 741–42
- sequential files and, 97

balanced scorecard (BSC), 633, 634–35

bar graph, 707, 709

base case system evaluation (BCSE), 820–21

batch controls, 205, 809

batch processing, 66–68

- activities, 337–43
- data flow diagram of, 335
- direct access files, 97–98
- documents, 334–37
- in manufacturing, 334–44
- payroll systems and, 299–300
- purchases system and, 253–58
- run, 95
- sales order processing and, 188–92
- sequential files, 95–97, 205–10
- using real-time data collection, 78–80

batch systems, 74

BCSE (base case system evaluation), 820–21

benchmark problems, 695

benefits, 645–49

Berners-Lee, Tim, 566

Better Business Bureau, 591

big bang implementation method, 544, 688

billing customer, 166–68

billing department, 182

bill of lading, 166, 167

bill of materials (BOM), 334, 336

biometric controls, 769

black box approach, 815

blind copy (of purchase order), 237–38, 239, 249

block codes, 384–85

Boeing, 548

bolt-on software, 34, 535–37

BOM (bill of materials), 334, 336

botnets, 584

BP Amoco, 551

bribery, 128–29

BSC (balanced scorecard), 633, 634–35

budget master file, 389

budget process, 406

business culture, 544–45

business ethics. *See* ethics

business segments, 16–17

bus topology, 601, 602

C

CAATs (computer-assisted tools and techniques), 818, 826

CAD (computer-aided design), 352–53

Caesar Cipher, 588

call-back device, 779

CAM (computer-aided manufacturing), 353

capital assets. *See* fixed asset system

cardinality, 60, 444–46, 480, 506–9

carrier sensing, 604

CASE (computer-aided software engineering), 663, 698

- advantages/disadvantages of, 705–6
- models, 701–5
- tools, 699–706

cash disbursement system, 46, 243–45. *See also* purchases system

- accounts payable, 252, 259
- automation and, 258–59
- conceptual systems, 235–48
- data flow diagrams, 244
- general ledger, 245, 252
- journal, 243, 245. *See also* check register
- liabilities due, 243
- manual systems, 251–52
- payroll system and, 290, 295
- preparation of, 243–45
- REA model and, 510–19
- reengineering, 259–61
- segregation of duties and, 247
- transaction authorization and, 246
- vouchers, 242

cash prelist. *See* remittance lists

cash receipts, 47

- automation, 195–97
- data flow diagrams (DFDs), 174
- journal, 176
- in point-of-sale (POS) systems, 197–98
- procedures, 173–77, 185–88, 197, 198–200
- reengineering of, 197

CD-ROM, 86

Center for Democracy and Technology (CDT), 582

centralized data processing, 21–23, 729–31

central repository, 700

Cerf, Vinton, 569
 CERN (European Center for Nuclear Research), 566
 certification authorities (CAs), 590, 777
 certified public accountant (CPA), 744
 chain value analysis, 519–20
 change, opposition to, 544–45
 changed data capture, 538
 chart of accounts, 384
 charts and graphs, 706–11
 check digit, 807–8
 checkpoint feature, 771
 check register, 243, 245
 CIM (computer-integrated manufacturing), 352–53
 client-served based applications, 75. *See also* modern systems
 client-server model, 532
 client-server topology, 601–3
 closed AP file, 258
 closed database architecture, 529
 closed sales order file, 194
 closed voucher file, 245
 CNC (computer numerical controlled), 351
 coding model, 704
 Cognos Inc., 536
 cohesion, 680
 cold site plan, 738
 cold turkey cutover, 688
 collusion, 178
 Comdiso, 738
 commercial software packages
 advantages/disadvantages of, 693
 central test of, 732
 growth of, 691
 maintenance and support, 698
 selection of, 693–97
 trends, 691–93
 Committee of Sponsoring Organizations of the Treadway Commission (COSO), 138–45, 392–94, 725
 compensating control, 144
 compensation, executive, 126
 competency analysis, 628
 compilers, 760
 completeness, 14, 133–34, 404, 673, 806, 815
 completeness tests, 816
 compliance, 118
 composite key, 477
 CompuServe, 564, 567
 computer-aided design (CAD), 352–53
 computer-aided manufacturing (CAM), 353
 computer-aided software engineering (CASE). *See* CASE (computer-aided software engineering)
 computer-assisted tools and techniques (CAATs), 818, 826
 computer-based accounting systems, 55–57, 73–82
 batch systems vs. real-time systems, 74–75
 control considerations, 201–3
 expenditure cycle, 252–63
 PC-based accounting systems, 203–4
 revenue cycle, 188–203
 computer center security, 734–37
 computer-integrated manufacturing (CIM), 352–53
 computer numerical controlled (CNC), 351
 computers
 ethics, 114–17. *See also* ethics
 fraud, 130–31. *See also* fraud
 operations, 74, 117
 security. *See* security
 waste, 814
 Computer Security Institute (CSI), 580
 conceptual systems, 35
 expenditure cycle, 235–48
 fixed assets, 302–6
 payroll system, 287–96
 revenue cycle, 163–81
 conceptual user views, 670
 conceptual view, 436, 670
 conciseness, 404, 673
 concurrency control, 468–70
 conflicts of interest, 118, 129
Consideration of Fraud in a Financial Statement Audit, 119
 consolidation, 534, 541–42
 construct phase, 664
 consultants, 546–47
 consumers, risks to, 581–83
 contingency planning, 550–51
 continuous processing, 334
 control activities
 expenditure cycle, 245–48, 261–63
 financial reporting system (FRS), 392–93
 fixed assets system, 308–10
 inventory, 341–43
 payroll system, 295–96
 revenue cycle, 177–81
 in traditional manufacturing environment, 344–47
 control environment, 139–41
 controller, 177, 185, 188
 controls, 142–45, 637. *See also* control activities; internal control; IT controls; Sarbanes-Oxley Act (SOX)
 access. *See* access control
 application. *See* application controls
 audit trail. *See* audit trail
 authorization, 165, 308–9, 785, 798
 backup, 767, 770–71
 batch, 809
 biometric, 769
 computer center security and, 734–37
 concurrency, 468–70
 corrective, 138
 database management system (DBMS), 767–71
 detective, 132–38
 electronic data interchange (EDI), 782–85

- end users, 814
- equipment failure, 780–81
- fault tolerance, 736–37
- in flat-file environment, 787–89
- input, 806–12
- networks, 603, 771–81
- operating system, 760–67
- operational decisions and, 400–401
- organizational structure, 728–34
- output, 812–14
- passwords, 761, 763–64, 802
- PC-based accounting systems and, 204
- physical, 142–43
- preventive-detective-corrective (PDC) internal control model, 136–38
- processing, 809–12
- production, 338
- program changes, 800–801
- run-to-run, 810
- security and access, 759–89
- subversive threats and, 771–80
- testing, 749–50, 800, 804, 815–24
- conversion cycle, 19, 235, 332–63
 - cost accounting system and, 343–44, 345
 - data flow diagram of, 333
 - definition, 46–47
 - lean manufacturing, 347–63
 - in traditional manufacturing environment, 333–47
- cookies, 582–83
- copyright laws, 116
- core applications, 531
- corporate governance, 128
- corporate IT function, 732–34
- corrective action, 401
- corrective controls, 138
- corruption, 128–29. *See also* fraud
- COSO (Committee of Sponsoring Organizations of the Treadway Commission), 138–45, 392–94, 725
- cost accounting system, 20
 - activities, 343–44, 345
 - batch processing and, 334
 - conversion cycle and, 46
 - independent verification, 347
 - lean manufacturing and, 355
 - payroll system and, 299
 - production and, 287, 299, 339, 341
 - segregation of duties, 346
- cost-benefit analysis, 643–50
- cost centers, 408
- cost objects, 357
- cost overruns, 547–48
- costs. *See also* cost accounting system
 - compared to benefits, 647–49
 - database conversion, 548
 - identification, 643
 - one-time, 644–45

- recurring, 645
 - system testing and integration, 547
- coupling, 679
- credit authorization, 182
- credit card information, theft of, 581
- credit card purchases, 570
- credit check, 163–66, 177–78
- credit department, 182, 189
- credit memo, 169–70, 172, 185
- credit records file, 180
- critical applications, 739, 742
- currency of information, 27, 28–29, 431
- customer open order file, 163
- customer order, 163
- customer perspective, 634
- cutover, 688–89
- cycle billing, 207

D

- data, 60–61
 - analysis, 542
 - attributes, 12–13, 431
 - centralized processing, 21–23, 729–31
 - cleansing, 540
 - collection, 12, 131–32
 - confidentiality of, 595
 - currency, 27, 28–29, 464–66
 - denormalized, 537–38, 539
 - dictionary, 441, 682
 - distributed processing, 23–26
 - encryption, 768–69
 - flows, 637
 - fraud and, 131–33
 - hierarchy, 13
 - information versus, 11
 - integration, 29
 - integrity, 595
 - library, 22
 - mart, 537
 - mining, 405, 536, 537, 543
 - model, 60–61, 444, 457–58, 670
 - normalization, 454, 459, 461, 475–81
 - organization, 86
 - redundancy, 431
 - sources, 12, 636–37
 - stabilized, 538
 - storage, 27, 431, 637
 - structures, 86–95, 473
 - task-data dependency, 431–32
 - updating, 27–28, 431
 - warehouse, 405
- database
 - access control, 433
 - access to, 580
 - administration, 21

- anomalies, 447–50
- authorization table, 768, 769
- backup, 770
- backup procedures, 77–78
- centralized, 464–66
- closed architecture, 529
- conceptual models, 434
- configuration, 535
- conversion, 548, 687–88
- in distributed environment, 464–70
- elements, 434–41
- hierarchical model, 471–72, 473–74
- lockout, 466
- management, 12–14, 133, 529. *See also* database management system (DBMS)
- model, 29–31
- navigational, 434, 471–72
- network model, 434, 472–75
- operational, 538
- partitioned, 466–68
- physical, 444–46, 460–61, 516–19
- REA model. *See* REA (resources, events, and agents) model
- replicated, 468
- structures, 826–29
- tables, 30–31
- database administrator (DBA), 438–41, 730, 767–68
- database management system (DBMS), 29, 430–81
 - compared to SPLMS, 802
 - conceptual models, 434
 - controls, 767–71
 - in distributed environment, 464–70
 - elements of, 434–41
 - flat-file model comparison, 431–34
 - operation, 437–38
 - relational database design, 454–64
 - relational database model, 442–54
 - software, 433–34, 436, 466–69
- database model, relational. *See* relational database model
- data coding schemes, 382–86
- data collision, 603–5
- data definition language (DDL), 436–38
- Data Encryption Standard (DES), 775
- data entry devices, 677
- data flow diagrams (DFDs), 58–60, 678–79
 - cash receipts, 174
 - compared to document flowcharts, 687
 - context-level, 701
 - elementary-level, 702, 703, 704
 - and entity relationship diagrams, 61
 - intermediate-level, 701–2
 - model, 701
- data management controls, 787–89
- data manipulation language (DML), 438
- data processing, 12
 - alternative approaches, 75–78
 - cash disbursement system and, 258–59
 - centralization, 21–23
 - department, 197
 - distributed, 23–26
 - fraud and, 132–33
 - payroll systems and, 302
 - purchases system and, 253, 258
- data warehouse, 531, 537–43
 - access to, 550
 - auditing, 551–52
 - cleansing extracted data, 540
 - data extraction, 538
 - decisions supported by, 542
 - loading data, 541–42
 - modeling data for, 537–38
 - supply chain decisions and, 542–43
 - transforming data for, 540–41
- DBMS. *See* database management system (DBMS)
- DDL (data definition language), 436–38
- DDos (distributed denial of service attacks), 584–87, 772, 774, 780
- DDP (distributed data processing), 23–26, 464–70, 731–32
- deadlock phenomenon, 467–68
- decision-making process, 404
- deep packet inspection (DPI), 774, 780
- deletion anomaly, 450
- deletion of data, 14
- Dell Computer, 548
- Deloitte Consulting, 548
- denial of service attacks (DOS), 583, 772–74
- denormalized data, 537–38, 539
- deposits, 177
- deposit slip, 176
- depreciation, 303, 305, 310
- DES (Data Encryption Standard), 775
- designer documentation, 685
- design model, 703
- design phase, 669–70
- destructive programs, 762, 764–65, 786–87
- destructive replacement, 787–88
- destructive updates, 77
- detailed design report, 682
- detailed feasibility study, 642–43
- detective controls, 137–38
- DFD. *See* data flow diagrams (DFDs)
- digest, 777
- digital audit trail, 57
- digital authentication, 588, 590
- digital certificate, 590, 777, 778
- digital envelope, 588, 777
- digital IDs, 590
- digital output, 814
- digital signature, 588, 590, 777, 778
- direct access, 248
 - to assets, 346–47

- file backup, 98, 787–88, 789
- files, 97–98, 102, 192
- structures, 88
- direct input, 675–77
- director independence, 126
- disaster recovery planning (DRP), 737–42
- disclosure, 118, 128
- discovery model, 405
- discretionary access privileges, 761
- disk address, 84–85
- disk pack, 85
- displacement, 117
- disseminating, 698
- distributed databases, 466–70
- distributed data processing (DDP), 23–26, 464–70, 731–32
- distributed denial of service (DDos) attacks, 584–87, 772, 774, 780
- distribution, 20
- distribution level, 578
- documentation
 - data flow diagrams, 58–60
 - entity relationship (ER) diagrams, 60–61
 - flowcharts, 61–72
 - inadequate, 730–31
 - online, 686
 - operator, 685–86, 737
 - record layout diagrams, 72–73
 - system, 685–87
 - techniques, 57–73
 - users, 686–87
- document flowchart, 61, 687
- document name, 567
- documents, 47–49, 179, 638
- domain name, 567
- Domino's Pizza, 536
- Dow Chemical, 548
- drill-down, 534, 542
- DRP (disaster recovery planning), 737–42
- dual-homed firewall, 772, 773
- duality, 499–500
- dynamic virtual organization, 578, 579

E

- EAM (embedded audit module), 825–26
- eavesdropping, 134
- Ebbers, Bernie, 113
- echo check, 780
- economic agents, 31–33
- economic events, 31
- economic feasibility, 631, 643
- economic order quantity (EOQ), 341–43
- EDE3 encryption, 775–76
- EDI. *See* electronic data interchange (EDI)
- edit run, 96, 207

- EEE3 encryption, 775–76
- EFF (Electronic Frontier Foundation), 582
- effectiveness, 75
- efficiency, 12, 75, 132, 541
- electronic commerce systems, 563–96
 - access control, 595–96
 - electronic data interchange (EDI), 605–11
 - implications of, 592–96
 - Internet commerce, 564–78
 - intra-organizational networks, 564, 597–605
 - legal issues, 596
 - open system interface (OSI) network protocol, 611–13
 - risks of, 578–87
 - security, 587–92
- electronic data interchange (EDI), 605–11
 - benefits of, 608–10
 - controls, 782–85
 - definition, 200
 - financial, 610–11
 - intra-organizational networks and, 564
 - lean manufacturing and, 363
 - overview, 605–7
 - purchasing and, 256, 258
 - standards, 607
- Electronic Frontier Foundation (EFF), 582
- electronic input techniques, 675
- Electronic Privacy Information Center (EPIF), 582
- e-mail, 566–67
- embedded audit module (EAM), 825–26
- embedded foreign keys (FK), 32
- embedded instructions, 675
- employee. *See also* personnel
 - ethics hotline, 118–19
 - file, 302
 - fraud, 120. *See also* fraud
 - payroll records, 290, 293
- empty shell backup, 738
- encryption, 588, 768–69, 770, 774–77
- end users, 10–11, 22, 627, 814
- Enron, 113, 126–27
- enterprise resource planning (ERP), 15, 528–58
 - access control, 550–51
 - costs, 547–48
 - data warehouse, 537–43
 - definition, 34
 - disruptions and, 548–49
 - implementation, 543–49
 - internal control and auditing, 549–52
 - leading products, 553–58
 - lean manufacturing and, 360, 363
 - overview, 529–32
 - performance measures, 548
 - selection of, 545–46
 - system configurations, 532–37
 - systems, 692
- entities, 60, 443–44

- agents, 505–6
- associations, 457–58, 506–9
- events, 502–4
- identification, 455–57
- resources, 504
- entity relationship (ER) diagrams, 60–61, 444, 501
- environmental issues, 116
- EPIF (Electronic Privacy Information Center), 582
- equipment failure, 780–81
- equity in access, 116
- ER (entity relationship) diagrams, 60–61, 444, 501
- error rates, 637
- ethics, 113–19
- European Center for Nuclear Research (CERN), 566
- event-driven languages, 682–83
- events
 - economic, 31, 498
 - entities, 502–4
 - monitoring, 766
 - reconstruction, 766
- exception orientation, 404
- executive compensation, 126
- existence or occurrence assertions, 815
- expenditure cycle, 45–46
 - computer-based, 252–63, 299–302
 - conceptual system, 235–48, 287–96, 302–6
 - controls, 245–48, 261–63
 - independent verification and, 248
 - inventory control, 249
 - manual systems, 249–51, 298–99
 - payroll and fixed assets, 286–310
 - physical system, 249–52, 297–99, 306–10
 - purchases and cash disbursements, 234–63
 - reengineering, 262–63
 - segregation of duties, 262
- expense accounts, 129–30
- expert systems, 117
- exposure, 135–36
- eXtensible Business Reporting Language (XBRL). *See* XBRL (eXtensible Business Reporting Language)
- eXtensible Markup Language (XML). *See* XML (eXtensible Markup Language)
- external agent, 499
- external auditing, 36
- extortion, economic, 129
- extranets, 565–66

F

- fact-gathering techniques, 637–38
- Fastow, Andy, 113
- fault tolerance, 736–37
- feasibility, 630–31
- feasibility study, 642–43
- feedback, 14–15
- file allocation table, 83

- files, 13
- file transfer protocol (FTP), 569
- filtering, 779
- finance, 20
- Financial Accounting Standards Board (FASB), 744
- financial institutions, 587
- financial perspective, 634
- financial reporting system (FRS), 8, 10
 - controls, 391–93
 - data coding schemes, 382–86
 - general ledger system (GLS), 387–89
 - IT controls and, 725–26
 - overview, 389–91
- financial transactions, 7, 45
- finished goods (FG), 341
- fire suppression, 735–36
- firewalls, 550, 590, 771–72
- first normal form (1NF), 448
- fixed asset system, 47. *See also* assets
 - acquisition procedures, 306–7
 - computer-based, 306–8
 - conceptual systems, 302–6
 - controls, 308–10
 - data flow diagram of, 304
 - depreciation report, 310
 - disposal of, 304, 306
 - logic of, 303–6
 - physical systems, 306–10
 - subsidiary ledger, 305–6, 308, 310
- flat-file model, 27–29, 86, 431–34, 787–89, 826–27
- flexibility, 779
- flowcharts
 - document, 61, 62–66
 - program, 71–72
 - system, 61, 68–70, 73
- flows, of information, 3
- Ford Motor Company, 259
- foreign keys, 447, 459, 480–81, 513–15
- formalization of tasks, 395–97
- Fortune 500 companies, 548
- fraud, 178
 - accountants and, 119–34
 - accounting oversight board and, 127
 - accounting practices and, 127
 - auditor independence and, 126, 127–28
 - collusion effect, 124
 - computer, 130–31
 - conclusions, 124–25
 - corporate governance and, 128
 - criminal penalties, 128
 - database management and, 133
 - data collection and, 131–33
 - definition, 119–20
 - director independence and, 126
 - disclosure and, 118, 128
 - employee, 120

- executive compensation and, 126
- factors contributing to, 120–22
- financial losses from, 122
- Internet and, 581–83
- losses, 124
- losses by position within organization, 122–23
- management and, 120, 125
- motivation for, 120–22
- operations, 133
- payroll system and, 290, 295
- performance, 120
- perpetrators of, 122–25
- program, 132–33, 731
- salami, 816–18
- Sarbanes-Oxley Act (SOX) and, 127–28
- schemes, 125–34
- statements, 125
- transaction, 130

fraudulent statements, 125

FTP (File Transfer Protocol), 569

functional segmentation, 17–20

G

GAAS (generally accepted auditing standards), 745

Gantt chart, 664, 665

Gartner Group, 529

gathering, 698

general accounting systems, 692

general controls, 142, 726

General Electric (GE), 140

generalized audit software (GAS), 823–24, 826–29

general ledger

- accounts payable, 243
- accounts receivable, 169–70, 176
- batch processing, 207
- cash disbursements, 245, 252
- cash receipts, 173, 179–80, 184, 185
- change report, 393, 395
- database, 388–89
- history file, 388
- independent verification and, 248
- master file, 388
- payroll system, 295
- purchasing system, 251
- relationship to subsidiary ledger, 55
- sales order processing, 194

general ledger/financial reporting system (GL/FRS), 8, 10

generally accepted auditing standards (GAAS), 745

General Motors (GM), 543

generic top-level domain (gTLD), 566

give event, 499–500

GL/FRS (general ledger/financial reporting system), 8, 10

goal congruence, 409

goods, receipt of, 237–38

governance, IT. *See* IT governance controls

GPC backup technique, 787, 788

graphs, 706–11

gratuities, illegal, 129

group codes, 385

group memory, 698

H

hard copy documents, 674, 812–14

hashing structure, 91–93

hash total, 811

HealthSouth, 113

help features, 687

Hershey Foods Corporation, 548–49

hierarchical database model, 434, 471–72, 473–74

hierarchical topology, 600

home page, 566

HTML (Hyper Text Markup Language), 566, 570, 571

HTTP (Hypertext Transfer Protocol), 566, 570

HTTP-NG (Hypertext Transport Protocol-Next Generation), 570

human resource management (HRM) system, 299. *See also* personnel

Hyperion Solutions Corp., 536

Hyper Text Markup Language (HTML), 566, 570, 571

Hypertext Transfer Protocol (HTTP), 566, 570

Hypertext Transport Protocol-Next Generation (HTTP-NG), 570

I

IAHC (Internet Ad Hoc Committee), 566

IBM, 570

iceberg effect, 705

ICSA (International Computer Security Association), 592

IMAP (Internet Messages Access Protocol), 569

implementation, 398

imprest account, 290

inappropriate performance measures, 410–12

incompatibility, 732

incompatible activities, consolidation of, 732

independence, accounting, 21

independent verification, 145, 180–81, 203

- enterprise resource planning (ERP) and, 551
- expenditure cycle controls and, 248
- financial reporting system (FRS) and, 393
- fixed asset systems and, 310
- general ledger, 248
- in manufacturing environment, 347
- payroll system and, 296

indexed random file, 88–89

indexed sequential file, 441

indexed structures, 88–89

indirect access, 248

industry analysis, 628

information

- access control over, 180

- currency, 27, 28–29, 431
- data versus, 11
- environment, 3–16
- flow of, 406–7
- gathering, 636–37
- generation, 14, 133–34
- level, 577
- needs assessment, 627–31
- overload, 410
- processing services, 24
- value of, 20–21
- informational content, 403
- information flows, 3
- information processing units (IPU), 23
- information systems, 2–37
 - acquisition, 15–16
 - definition, 6
 - evolution of, 26–34
 - framework, 6–9
 - lean manufacturing and, 360–63
 - objectives, 15
 - software, 15–16
 - types of, 15–16
- information technology, 21–26
- information technology controls. *See* IT controls
- inheritance, 668–69
- input, direct, 675–77
- input controls, 806–12
- insertion anomaly, 450
- instance, 668–69
- Institute of Internal Auditors, 746
- insurance coverage, 737
- intangible benefits, 647
- integrated test facility (ITF), 822–23
- integrity, data, 595
- intelligent control agents, 594
- intelligent forms, 676
- internal agent, 499
- internal auditing. *See* auditing
- internal business process perspective, 634
- internal control, 134–45, 549–52. *See also* controls
- internal corporate database, 573
- internal efficiency, 541
- internal reporting, 118
- internal view, 436
- International Computer Security Association (ICSA), 592
- International Standards Organization (ISO), 569
- Internet
 - addresses, 566–67
 - business models, 577–78
 - commerce, 200–201, 564–78
 - fraud and, 581–83
 - protocols, 569–77
 - risks, 581–87
 - technologies, 564–67
- Internet Ad Hoc Committee (IAHC), 566
- Internet Explorer, 564, 566
- Internet Relay Chat (IRC), 584
- Internet service providers (ISP), 564
- interpreters, 760
- intranet risks, 580–81
- intra-organizational networks, 564, 597–603
- Intrusion Prevention Systems (IPS), 774, 780
- inventory
 - actual cost inventory ledger, 240
 - alternative ordering procedures, 257
 - controls, 184, 247, 249, 341–43
 - database design and, 456
 - of materials, 19
 - monitoring records, 235
 - records, 169, 173
 - reduction, 349
 - reorder report, 673
 - security, 202
 - status report, 449, 456, 519
 - subsidiary file, 253
 - subsidiary ledger, 169, 179, 240
 - updating records, 207, 209, 238, 240
 - usage, 343
 - valuation method, 241
- investment centers, 409
- IP address, 567
- IP broadcast address, 584
- IP spoofing, 583, 584, 772
- IPU (information processing units), 23
- IRC (Internet Relay Chat), 584
- islands of technology, 351
- ISO (International Standards Organization), 569
- ISP (Internet service providers), 564
- IT auditing, 36, 746–49
- IT controls, 142, 724–50, 797–830. *See also* controls
 - for applications, 806–14
 - for system development, 798–806
 - testing, 815–24
 - testing techniques, 824–29
- iterative design approach, 670
- ITF (integrated test facility), 822–23
- IT governance controls, 728

J

- J.D. Edward & Co., 34, 363, 556
- JIT (just-in-time), 348
- job tickets, 287, 290
- journals, 49–51
 - cash receipts, 176
 - general, 50–51
 - purchase, 241
 - sales, 50, 168, 172
 - special, 50, 179
- journal voucher, 51, 241, 387–88
 - file, 168, 180, 388

- history file, 388
- listing, 393, 394
- sales, 168

justice, 113

just-in-time (JIT), 348

K

Kah, Bob, 569

key, 588

keystroke monitoring, 766

keystrokes, 96, 205

knowledge management, 698

Kozlowski, Dennis, 113

Kronos Inc., 536

L

labor distribution summary, 287

labor usage file, 299

LAN (local area networks), 80, 597, 598

languages. *See* programming languages

lapping, 130

layer chart, 710

layer functions in protocols, 611–13

lean manufacturing, 347–50

- accounting in, 355–60
- information systems, 360–63
- principles of, 348–50
- techniques and technologies that promote, 350–54

learning and growth perspective, 634

ledgers, 51–55. *See also* general ledger; subsidiary ledger

legacy systems, 27, 29, 86–102

- data structures and, 86–95
- integration with data warehouse, 541
- modern systems vs., 75–76
- systems development and, 628–29

legal feasibility, 631, 642–43

legal issues of electronic commerce, 596

liabilities due, 243

line errors, 780

line graph, 707, 708

local area networks (LAN), 80, 597, 598

logical key pointer, 95

logic bombs, 587, 764, 786

log-on procedure, 761, 765

M

magnetic disks, 83–84

magnetic tape, 82–83

mail protocols, 569

mail room, 195

mainframe-based applications, 75. *See also* legacy systems

maintenance, 19

- audit objectives, 804
- authorization, 805

commands, 804

model, 704–5

- systems development and, 22–23

make-to-order processing, 334

malicious programs, 764–65, 786–87

management

- control decisions, 400
- by exception, 398
- fraud, 120
- principles of, 395–98
- proactive, 630
- reactive, 630

management assertions, 815

management information systems (MIS), 6, 8–9

management reporting systems (MRS), 8, 10, 394–412

- behavioral considerations, 409–12
- management by exception, 398
- management principles, 395–98
- responsibility and authority, 397
- span of control, 397–98

management reports, 403–5

manual process model, 26–27

manual systems, 181–88

- accounting records and, 47–54
- cash disbursements and, 251–52
- expenditure cycle and, 249–51
- payroll systems, 297–99
- revenue cycle, 181–88

manufacturing environment

- accounting records, 347
- automation of, 350–54
- batch processing, 334–44
- computer-aided manufacturing (CAM), 353
- computer-integrated manufacturing (CIM), 352–53
- control activities in traditional, 344–47
- flexibility, 350
- independent verification, 347
- just-in-time (JIT), 348
- lean. *See* lean manufacturing
- segregation of duties, 345–46
- supervision, 346
- traditional, 333–47, 350–51
- transaction authorization, 345

manufacturing overhead (MOH), 344

manufacturing resources planning (MRP II), 360–62, 529

Manugistics Inc., 536

marketing, 19–20

MasterCard, 570

master file, 55, 76–77

materials management, 19

materials requirements planning (MRP), 360

materials requisition, 336, 338

matrices, 706, 708

MCI, 564

messages, interception of, 580

message sequence numbering, 777

- message transaction log, 779
- methods, 667
- Microsoft, 556–57, 564, 570
- MIM Health Plans Inc., 543
- mirrored data center, 739
- MIS (management information systems), 6, 8–9
- mission, 628
- mnemonic codes, 386
- modern systems, 75–76
- modules, 679–81
 - standard, 667
 - systems design and, 670
 - testing, 683–84
- monitoring, 142
- move ticket, 336, 338
- MRP (materials requirements planning), 360
- MRS (management reporting systems). *See* management reporting systems (MRS)

N

- navigational database model, 434, 471–72
- needs assessment, 627–31, 694
- net present value method, 647–48
- Netscape, 570
- network
 - controls, 603, 771–81
 - database model, 434, 472–73, 474–75
 - topologies, 597–603
- network interface cards (NIC), 597
- network-level firewall, 590, 772
- Network News Transfer Protocol (NNTP), 570
- NIC (network interface cards), 597
- NNTP (Network News Transfer Protocol), 570
- nonfinancial transactions, 8
- nonrepudiation, 595
- normalization
 - process, 475–81
 - tables, 450–54, 462, 480, 516, 670
- numeric coding schemes, 383–86

O

- object class, 668–69
- object-oriented design, 667–69
- object-oriented programming (OOP) language, 683
- observation, 637
- occurrence, 444
- office automation systems, 692
- off-site storage, 738, 740
- OLAP (online analytical processing), 531–35
- OLTP (online transaction processing), 531, 532–35
- on-demand reports, 403
- one-time costs, 644–45
- one-time passwords, 763–64
- online analytical processing (OLAP), 531–35
- online documentation, 686

- online transaction processing (OLTP), 531, 532–35
- OOP (object-oriented programming) language, 683
- open accounts payable file, 241
- open/closed purchase order file, 235, 238
- open purchase requisition file, 249
- open sales order file, 180
- Open System Interface (OSI), 569, 611–13
- open vouchers payable (AP) file, 251
- operating system, 726
 - controls, 760–67, 802
 - definition, 760
 - security, 760–61
 - threats to integrity of, 761–62
- operational control decisions, 400–401
- operational databases, 538
- operational efficiency, 75
- operational feasibility, 631, 643
- operations control reports, 672–73
- operations fraud, 133
- operator documentation, 685–86, 737
- optical disks, 86
- Oracle, 15, 34, 363, 536, 555–56
- organizational chart, 395–96
- organizational structure, 16–26, 728–34
- organizing, 698
- OSI (Open System Interface), 569, 611–13
- output
 - attributes, 672
 - controls, 812–14
 - reporting alternatives, 706
 - reporting techniques, 674
 - views, 670–74
- output controls, 812–14
- output spooling, 812–13
- overbooking flights, 547
- overhead, allocation under ABC, 357
- oversight board, 127
- ownership, 115

P

- packet switching, 564–65
- packing slip, 166
- para computer ethics, 115
- parallel operation cutover, 688–89
- parallel simulation, 823–24
- parity check, 780–81
- partial dependencies, 450, 478–79
- partitioned databases, 466–68
- password, 582, 761, 763–64, 802
- payback method, 648–49
- paychecks, 290, 294
- payroll system, 46–47
 - accounting records, 296
 - batch processing, 299–300
 - cash disbursement system and, 290, 295

- computer-based, 299–302
- conceptual systems, 287–96
- controls, 295–96, 302
- cost accounting and, 299
- data flow diagram of, 288
- employee records, 290, 293
- fraud, 290, 295
- general ledger, 295
- imprest account, 290
- manual systems, 297–99
- personnel and, 287, 299
- physical systems, 297–99
- real-time systems, 301
- REA model and, 511–12
- reengineering, 299–302
- register, 290, 292
- segregation of duties, 295–96
- PCAOB (Public Company Accounting Oversight Board), 127, 138–39, 725, 744
- PC-based accounting systems, 203–4. *See also* computer-based accounting systems
- PCT (Private Communications Technology), 570
- PEM (Privacy Enhanced Mail), 570
- PeopleSoft Inc., 34, 363, 536, 555–56
- perfect quality, 348–49
- performance evaluation, 400–401, 406
- performance fraud, 120
- performance measures, 410–12, 548
- Pershing, 739
- personal accountability, 766
- personal interviews, 638
- personnel, 20, 287, 299, 734. *See also* human resource management (HRM) system
- personnel action forms, 287, 289
- PERT chart, 663–64
- phased cutover, 688
- phased-in implementation, 544
- physical address pointer, 94
- physical controls, 142–43
- physical database tables, 444–46, 460–61, 516–19
- physical systems, 35, 181
 - expenditure cycle and, 249–52
 - fixed assets, 306–10
 - payroll system and, 297–99
 - revenue cycle, 181
- physical user views, 670–77
- picking ticket, 166
- pie chart, 707, 710
- PKI (public key infrastructure), 590
- planning, 19, 338, 398–401
- PO (purchase order). *See* purchase order (PO)
- pointer structure, 93–95
- point-of-sale (POS) systems, 197–200
- polling, 603, 604
- POP (Post Office Protocol), 569
- pop computer ethics, 114–15
- POS systems, 197–200
- Post Office Protocol (POP), 569
- power supplies backup. *See* uninterruptible power supplies
- prenumbered documents, 179
- Prescient Systems Inc., 536
- presentation and disclosure assertions, 815
- preventive-detective-corrective (PDC) internal control model, 136–38
- primary keys (PK), 32, 76, 96, 188, 447, 458–59, 460
 - in REA model, 513–15
- primary manufacturing activities, 19
- print programs, 813–14
- privacy, 115
- Privacy Enhanced Mail (PEM), 570
- privacy violations, 593–94
- Private Communications Technology (PCT), 570
- private key, 588, 774–75
- privileged employees, 580, 762
- proactive management, 630
- probe for weaknesses, 780
- problem recognition, 629–30
- problem structure, 401–3
- procedural language, 682
- processes, 637
- processing capacity, 75
- processing controls, 809–12
- product design, 352–53
- product documents, 47–48
- product family, 358
- production, 19, 46
 - control, 338
 - facilities reorganization, 350
 - flexibility of, 349
 - materials and operations requirements, 338–39
 - order, 335
 - payroll system and, 287
 - planning, 19, 338
 - schedule, 334, 336, 339–40
 - support activities, 19
- professionals, 732
- profit centers, 408–9
- program application software, 682–83
- program changes
 - controlling, 800–801
 - unauthorized, 804–5
- program flowcharts, 71–72
- program fraud, 132–33, 731
- programmed reports, 403, 404
- programmer documentation, 685
- programming languages, 682–83
- program version numbers, 804–5
- project feasibility, 630–31
- project initiation, 635
- property ownership, 116
- proportionality, 113

protocol prefix, 567
protocols, 567–77, 611–13
prototype model, 702
prototyping, 662
proxy services, 779
pseudocode, 681
Public Company Accounting Oversight Board (PCAOB), 127, 138–39, 725, 744
public key encryption, 588, 589, 774, 775–76
public key infrastructure (PKI), 590
pull processing, 348
purchase activities, 235–45
purchase journal, 241
purchase order (PO), 248, 455, 456
 blind copy, 237–38, 239, 249
 open/closed file, 235, 238
purchase requisition, 235, 237, 249
purchases system, 46, 235–42
 accounts payable and, 240–42
 automation and, 253–58
 batch processing, 253–58
 data flow diagram for, 236
 documents, 455
 general ledger, 251
 inventory records, 235, 238, 240
 purchase order, 235, 237
 REA model and, 510–19
 receipt of goods, 237–38
 receiving department and, 249, 258
 reengineering, 259–61
 repeating group data and, 459
 transaction authorization and, 246
purchasing, 19
purchasing agent, 456

Q

quality assurance group, 681
quality control, 19
query language, 438–39

R

RAID (redundant arrays of independent disks), 736–37
raw material (RM), 334
REA (resources, events, and agents) model, 31–33, 498–521
 cash disbursements and, 510–19
 chain value analysis, 519–20
 developing, 501–9
 diagram, 498, 501–9, 512–13
 elements of, 498–500
 financial statement production, 517
 journal entries, 518
 management reports, 518, 520
 overview, 497–500
 in practice, 520–21

 view integration, 509–21
reactive management, 630
real-time systems, 80–81
 advantages of, 195
 batch processing, 78–80
 definition, 74
 payroll and, 301
 sales order processing and, 193
receive event, 499–500
receiving clerk, 456
receiving department, 19, 185, 247, 249, 258
receiving report, 238, 239, 248
reconciliation, 687
record, 13
record layout diagrams, 72–73
recovery module, 771
recovery operations center (ROC), 738
recurring costs, 645
red-flag checklist, 120
redundancy, 637, 732
redundancy tests, 816
redundant arrays of independent disks (RAID), 736–37
reengineering
 of cash receipts, 197
 definition, 188
 expenditure cycle, 262–63
 payroll systems and, 299–302
 purchases/cash disbursement systems, 259–61
 using EDI (electronic data interchange), 200
 using the Internet, 200–201
reference file, 56
refining, 698
register, 50
relational database model, 30–31, 434, 442–54
 anomalies, 447–50
 concepts, 443–47
 design, 454–64
 normalizing tables, 450–54
relational tables, 447–48
relative address pointer, 94
relevance, 12, 14, 132–34, 403, 672
reliability, 20
reluctance to prosecute, 581
remittance advices, 48–49, 173, 175
remittance lists, 173–74, 178
reorder point (ROP), 249, 342
repeating group data, 459, 477–78
replicated databases, 468
reports
 ad hoc, 405
 attributes, 403–4
 colors, 710–11
 customer inquiry, 521
 distribution, 814
 management, 403–5, 803–4
 objectives, 403

- on-demand, 403
- operations control, 672–73
- production, 516–18
- programmed, 403, 404
- receiving, 238, 239, 248, 455, 457
- responsibility, 406
- scheduled, 403
- summarization, 403
- timeliness, 404

request for proposal (RFP), 694

request-response technique, 779

resources

- costs, 637
- economic, 31, 498
- entities, 504
- organizational, 74–75

resources, events, and agents (REA) model. *See* REA (resources, events, and agents) model

responsibility, 397

- accounting, 405–9
- center file, 389
- centers, 406, 408–9
- reports, 406

retrieval, 14

return on investment (ROI), 410

return policy, 178

return procedures, 170–73, 185–86

return slip, 170

reusable passwords, 763

revenue cycle, 47, 162–204, 235

- computer-based accounting systems, 188–204
- conceptual systems, 163–81
- controls, 177–81
- manual systems, 181–88
- overview of activities, 163–70
- physical systems, 181

RFP (request for proposal), 694

Rigas family, 126

rights and obligations assertions, 815

Rijndael, 588

ring topology, 600–601

risk, 135–36, 579

- assessment, 141, 749–50
- detection, 750
- implementation and, 543–49
- inherent, 749–50
- minimization, 114

Rivest-Shamir-Adleman (RSA), 588, 777

robotics, 352

ROC (recovery operations center), 738

ROI (return on investment), 410

ROP (reorder point), 249, 342

rounding error tests, 816

route sheet, 334, 337

Royal Bank of Scotland, 587

RSA (Rivest-Shamir-Adleman), 588, 777

run, in batch systems, 95

run manual, 685

run-to-run control, 810

S

Safe Harbor Agreement, 593

safety stock, 344

Sage Software, 557

salami fraud, 816–18

sales

- department, 182, 185, 189
- invoice, 168
- journal, 50, 168, 172
- journal voucher, 168
- order, 163, 165–66, 168

sales order file, closed, 194

sales order pending file, 180

sales order processing, 47, 163–70, 182–84

- batch technology and, 188–92
- data flow diagram of, 59, 164
- real-time technology and, 193

sales procedures, 194

sales return procedures, 170–73, 185–86

SAP, 34, 363, 536, 551, 553–55

Sarbanes-Oxley Act (SOX), 2, 9

- access control, 202
- computer center security and controls, 734–37
- disaster recovery planning, 737–42
- ethical issues, 117–19
- external audit and, 744
- financial reporting and, 391
- fraud, 127–28
- internal control and, 138–39
- IT governance and, 724–50, 728
- organizational structure controls, 728–34
- Section 302, 725–28
- Section 404, 725–28
- XBRL and, 572, 577

SAS No. 1, 745

SAS No. 5, 725, 727, 728

SAS No. 78, 138

- COSO framework and, 139–45, 392–94, 725
- expenditure cycle, 245–46
- internal controls, 138, 139

SAS No. 99, 119

scalability, 545–46

scatter graph, 707, 709

scavenging, 134

scheduled reports, 403

schedule feasibility, 631, 643

SCM (supply chain management), 536–37, 542–43

screening router, 772

Scrusby, Richard, 113

SDLC (systems development life cycle), 15, 624–52, 659–711

- accountants role in, 651–52, 690–91
- action plan creation, 632–35
- alternative designs, 640–41
- analysis, 635–39
- CASE tools, 699–706
- commercial software packages, 626, 691–93
- construction, 664–84
- delivery, 684–91
- development, 660–64
- evaluation and selection, 642–51
- failures, 660–62
- information needs assessment, 627–31
- inhouse development, 626
- maintenance and support, 626, 698, 730
- output report alternatives, 706–11
- overview, 625–27
- participants, 626–27
- plan development, 631–32
- project announcement, 650
- project initiation, 626, 635
- selection, 693–97
- strategy, 626, 627
- user involvement, 660–62
- SEC (Securities and Exchange Commission), 138–39, 571, 725
- secondary keys (SK), 76, 96, 188–89, 191, 207
- second normal form (2NF), 448
- second-site backup, 738–39, 741–42
- Section 301, 118–19
- Section 302, 138, 725–28
- Section 404, 138, 725–28
- Section 406, 118–19
- Section 806, 118
- Secure Electronic Transmission (SET), 570
- Secure Sockets Layer (SSL), 570
- Securities and Exchange Commission (SEC). *See* SEC (Securities and Exchange Commission)
- security, 115–16, 202. *See also* controls; IT controls
 - computer, 587–92
 - digital authentication, 588, 590
 - encryption, 588
 - firewalls, 590
 - protocols, 567–77
- segmentation, functional, 17–20
- segments, business, 16–17
- segregation of duties, 143
 - access control and, 730
 - cash disbursements and, 247
 - computer-based systems, 201, 204
 - enterprise resource planning (ERP), 549
 - expenditure cycle and, 262
 - financial reporting system (FRS), 393
 - inventory control and, 247
 - in manufacturing environment, 345–46
 - payroll system and, 295–96
 - revenue cycle, 178–79
 - segregation of systems, 779
 - semantic models, 497
 - September 11 terrorist attacks, 738
 - sequential access method, 87–88
 - sequential codes, 383–84
 - sequential files, 87
 - backup procedures, 97
 - batch processing, 95–97, 205–10
 - indexed, 441
 - update, 99–101
 - sequential structure, 87–88
 - server configurations, 532
 - servers, 597
 - SET (Secure Electronic Transmission), 570
 - shipping department, 182, 191, 194
 - shipping goods, 166
 - shipping log, 180
 - shipping notice, 166
 - Simple Network Mail Protocol (SNMP), 569
 - single-view model, 29
 - slicing and dicing, 534
 - smurf attack, 584, 585, 772
 - SNMP (Simple Network Mail Protocol), 569
 - SoftBrands, 557–58
 - software, 15–16, 826–29
 - antiviral, 765
 - auditing, 823–24, 826–29
 - bolt-on, 34, 535–37
 - commercial packages, 691–97, 732
 - database management system (DBMS), 433–34, 436, 466–69
 - engineering, 663, 698–706
 - SPL management system (SPLMS), 802–6
 - testing, 683–84
 - transaction validation, 197
 - S.O. pending file, 168
 - sophisticated users, 389
 - sort runs, 96, 207
 - source code, 805–6
 - source documents, 47, 48
 - source program library (SPL), 801–2, 806
 - SOX. *See* Sarbanes-Oxley Act (SOX)
 - span of control, 397–98
 - special journals, 50, 179
 - special-purpose entities (SPE), 127
 - special-purpose systems, 692
 - SPL (source program library), 801–2, 806
 - SPL management system (SPLMS) software, 802–6
 - spooling, 812–13
 - Sprint, 564
 - SQL (structured query language), 438
 - SSL (Secure Sockets Layer), 570
 - stabilized data, 538
 - stakeholders, 4, 23, 627
 - standard cost system, 238, 240
 - standards, 400, 732

standard-setting body, 733
 star network, 599
 star topology, 598–600
 Statement on Auditing Standards (SASs), 745. *See also specific SASs*
 steering committee, 627
 stock flow, 498
 stock options, 126
 stockouts, 344
 stock records, 166
 stock release, 166
 storage, 14

- devices, 83–86
- off-site, 738, 740
- secondary, 82–86

 storekeeping, 340–41
 stores, 19
 strategic business needs, 627–28
 strategic planning decisions, 399
 strategic systems plan, 631–32
 structured database model, 434
 structured design, 664–67
 structure diagram, 679, 680
 structured problems, 401–2
 structured query language (SQL), 438
 subdirectory name, 567
 subschemas, 769
 subsidiary ledger

- accounts payable, 240, 241
- accounts receivable, 169–70, 179
- inventory, 169, 179, 240, 253
- relationship to general ledger, 55

 substantive tests, 749, 750
 subsystems, 5, 6
 subversive threats, 771–80
 summarization, 14, 133–34, 403, 672
 supervision, 143–44, 179, 201–2

- enterprise resource planning (ERP) and, 549–50
- fixed asset systems and, 309
- in manufacturing environment, 346
- payroll system and, 296
- receiving department and, 247

 supplier analysis chart, 707
 supplier relations, 349
 suppliers, 456
 supplier's invoice, 240, 248
 supply chain management (SCM), 536–37, 542–43
 support events, 498
 survey, 636–38
 symbol set

- for data flow diagram, 58
- for flowcharts, 68, 71

 symmetric key, 588
 SYNchronize-ACKnowledge (SYN-ACK), 583
 SYN flood attack, 583–84, 772
 system analysis report, 638–39
 system auditors, accountants as, 36
 system audit trails, 765–66
 system configurations, ERP, 532–37
 system designers, accountants as, 35
 system flowcharts, 61, 68–70, 73
 systems

- alternative designs, 640–41
- analysis, 635–39
- architecture, 628–29
- conceptual, 35
- construction, 664–84
- decomposition, 6
- definition, 4
- development, 628–29, 660–64
- documentation, 685–87
- elements of, 4–5
- evaluation and selection, 642–51
- example of, 5–6
- objectives, 630
- output, 671
- physical, 35
- professionals, 22, 627
- strategy, 627

 systems design, 669–70. *See also* SDLC (systems development life cycle)

- adequacy, 689–90
- commercial packages, 691
- controls, 681
- conversion to new system, 688–89
- database conversion, 687–88
- delivery, 684–91
- diagrams, 679, 680
- documentation, 682, 685–87
- modular approach, 679–81
- post-implementation review, 689–90
- process, 677–81
- programming, 683
- testing, 683–85
- walkthrough, 681–82

 systems development. *See also* SDLC (systems development life cycle); systems design

- controlling activities, 798–800
- controls, 798–806
- controls testing, 800
- database administrator and, 730
- maintenance and, 22–23
- resources and, 74
- segregation from computer operations, 729
- segregation from maintenance, 730–31
- superior structure for, 731

 systems project proposal, 631
 systems selection report, 649
 system survey, 636

T

tables, 462, 706
 tactical planning decisions, 400
 tangible benefits, 645–47
 task-data dependency, 29, 431–32
 task participation, 637
 taxonomy mapper, 574
 TCO (total cost of ownership), 547
 TCP/IP (Transfer Control Protocol/Internet Protocol), 569
 team attitude, 350
 technical design, 798
 technical feasibility, 631, 642
 telecommunications companies, 564
 TELNET, 569
 test data method, 819–20
 testing

- of program modules, 798–800
- techniques, 824–29
- white box techniques, 818–22

 test libraries, 802–3
 tests of controls, 804
 theoretical computer ethics, 115
 third-generation languages, 682
 third normal form (3NF), 448, 516
 three-tier model, 532, 534
 time cards, 287, 291
 time-keeping, 302
 time lag, 74–75
 timeliness, 14, 133–34, 404, 673
 token passing, 603–4, 605
 topologies, 597–603
 total cost of ownership (TCO), 547
 Toyota Production System (TPS), 348
 TPS (transaction processing systems). *See* transaction processing systems (TPS)
 tracing, 821
 trading partners, 4
 traditional systems, 30, 529
 transaction

- cycles, 45–47
- file, 56
- fraud, 130
- level, 577
- listing, 812
- logs, 770, 811–12

 transaction authorization, 143, 177–78

- cash disbursements and, 246
- electronic data interchange (EDI), 783
- enterprise resource planning (ERP), 549
- financial reporting system (FRS), 393
- in manufacturing environment, 345
- payroll system and, 295
- purchases system, 246

 transaction processing systems (TPS), 8, 9–10, 45–102, 178

- accounting records, 47–54
- computer-based systems, 55–57, 73–82
- documentation techniques, 57–73
 - overview, 45–47
 - procedures, 194
- transactions, 6–8
- transactions cycles, 9
- transaction validation software, 197
- transaction volumes, 637
- transcription errors, 807
- Transfer Control Protocol/Internet Protocol (TCP/IP), 569
- transitive dependency, 450–51, 459, 479–80
- transposition errors, 807
- trap door. *See* back door
- triple-DES encryption, 775
- Trojan horses, 587, 764, 765, 787
- TRUSTe, 591
- turnaround documents, 48–49, 173
- turnkey systems, 15, 691–92
- tutorials, 687
- two-tier model, 532, 533
- Tyco, 113

U

unemployment, 117
 Uniform Resource Locator (URL), 566, 567
 uninterruptible power supplies, 736–37
 universal product code (UPC), 198
 unstructured problems, 402–3
 UPC (universal product code), 198
 update anomaly, 449–50
 update runs, 96–97
 URL (Uniform Resource Locator), 566, 567
 user access privileges, 762
 user-defined procedures, 768
 users

- authority, 29
- in database environment, 435–36
- documentation, 686–87
- fact-gathering and, 637
- feedback, 629–31, 650–51
- groups, 696
- handbook, 686
- ID, 761
- roles, 549
- specifications, 798
- support, 698
- test and acceptance procedures, 800

 user services, 733
 user views

- access control, 767–68
- database administrator and, 730
- database construction and, 516–19
- data definition language (DDL) and, 437
- design of, 475–77
- normalized tables and, 480–81
- overview, 447

- physical, 670–77
- preparation of, 463
- REA (resources, events, and agents) model and, 497

UUNET, 564

V

- validation, 687, 783, 785
- valid vendor, 237
- valid vendor file, 253
- valuation or allocation assertions, 815
- value-added network (VAN), 594–95, 607, 782–83
- value chain, 503, 519–20
- value stream, 353–54, 358–60
- value stream map (VSM), 353–54
- VAN (value-added network), 594–95, 607, 782–83
- variance, 400–401
- vendor presentations, 694–95
- vendor's invoice, 261
- vendor support, 695–96
- vendor-supported systems, 15–16, 692
- verification model, 405
- verified stock release, 166
- Veri-Sign, Inc., 590, 591–92
- view integration, 464, 509–21
- view modeling, 454–55, 501–9
- virtual private networks (VPN), 565
- virtual storage access method (VSAM), 89–91
- viruses, 587, 762, 764, 786
- Visa, 570
- vision, 628
- voucher file, closed, 245
- voucher packet, 243
- voucher register, 242–43
- vouchers payable system, 242–43
- VPN (virtual private networks), 565
- VSAM (virtual storage access method), 89–91

W

- walkthrough, 681–82
- wall of code, 669
- WAN (wide area networks), 80, 597, 598
- warehouse procedures, 182, 190, 194
- waste, 814
- Waste Management, 548
- waste minimization, 349
- web browsers, 564, 566
- web page, 566
- websites, 566
- weighted factor matrix, 696–97
- Western Digital Corporation, 542
- Whirlpool Corporation, 548
- white box approach, 816–22
- wide area networks (WAN), 80, 597, 598
- WIP (work-in-process), 339–40, 344
- WIP account, 287

- work centers, 340–41
- work-in-process (WIP), 339–40, 344
- work order, 335, 337
- world-class companies, 347–50
- WorldCom, 113, 126, 127
- World Wide Web, 566
- WORM (write-once, read-many), 86
- worms, 587, 764, 786

X

- XBRL (eXtensible Business Reporting Language), 571
 - audit implications, 594
 - instance document, 572, 576, 577
 - tags, 575
 - taxonomies, 571
- XML (eXtensible Markup Language), 570–71

Z

- zombie, 584
- zones, 675, 676